



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

JUN - 5 2001

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

Mr. Chua Beng Chuan
Managing Director
U.O.P. Rubber Products Sdn Bhd
878 Jalan Bandar Baru Nibong
Tebal
Penang,
MALAYSIA

Re: K011563
Trade/Device Name: Powder Free Latex Examination Gloves
with Water Extractable Protein Labeling Claim
(50 Micrograms or Less)
Regulation Number: 880.6250
Regulatory Class: I
Product Code: LYY
Dated: May 5, 2001
Received: May 21, 2001

Dear Mr. Chuan:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.


If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Current Good Manufacturing Practice requirements, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that,

through periodic QS inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4692. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "<http://www.fda.gov/cdrh/dsma/dsmamain.html>".

Sincerely yours,



Timothy A. Ulatowski
Director
Division of Dental, Infection Control
and General Hospital Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

U.O.P. Rubber Products Sdn.Bhd.

878 Jalan Bandar Baru, 14300 Nibong Tebal, Pulau Pinang, Malaysia.

Tel : (04)-5931121, 5931122 Fax : (04)-5932218

Your Ref : Our Ref : CBC/050501/04 Date : 05/05/2001 Page : 1/1

ATTACHMENT 2 :

INDICATION FOR USE

Applicant : U.O.P. RUBBER PRODUCTS SDN. BHD.

510(k) Number (if known) : 011563

Device Name : POWDER FREE LATEX EXAMINATION GLOVES.
WITH WATER EXTRACTABLE PROTEIN LABELLING CLAIM. (50 microgram or less)

Trade Name : (1) SANI-SAFE
(2) Other clients private labeling

Indication For Use :

A patient examination gloves is a disposable device intended for medical purpose that is worn on the examiner's hand or finger to prevent contamination between examiner and the patient.

Concurrence of CDRH Office of Device Evaluation (ODE)

Prescription Use _____
Per 21 CFR 801.109

OR

Over-The-Counter X

Chin S. Lim

(Division Sign-Off)

Division of Dental, Infection Control,
and General Hospital Devices

510(k) Number K011563